

Public Consultation – 7 December to 20 January 2023

Feedback form

You have an important role to play in shaping our proposals for Water Eaton (PR6a).

We will consider all the feedback we receive during this consultation as we finalise our masterplan and proposals for the site. This will be the final stage of public consultation before a planning application is submitted in early 2023.

Please complete this feedback form and return to the address below by Friday 20 January 2023 (no stamp required).

Freeport RRRG-AZTG-JLJX, Camargue (PR6a)
Eagle Tower, Montpellier Drive
Cheltenham, GL50 1TA

Alternatively, you can provide your comments and views by:

- **Visiting** www.water-eaton.co.uk and filling in our online feedback form or feedback map.

- **Sending an email to:** info@water-eaton.co.uk


Your details

First Name:		Surname:	
Address:			
Telephone:			
Email:			
Organisation (if applicable):			

- 1. Do you have any general comments on our updated masterplan for Water Eaton?**




- 2. Please provide any comments you have on the environmental mitigation measures of the proposal.**



3. Please provide any comments you have on the character and landscape guidelines we are developing.




4. Please provide any comments you have on the proposed sustainability strategies.



5. Please provide any general comments you have on the transport plan.



6. Please provide any comments you have on the transport and access strategy.




7. Please provide any comments you have on sustainable transport improvements such as:

- The cycle superhighway
- Cutteslowe Park cycle route
- Mobility Hubs



8. Please provide any comments you have on proposals for surface water drainage and foul drainage at Water Eaton.




9. Please provide any comments you have on the plans for:

- St Frideswide's Farmhouse
- Pipal Barns
- The Barrows




10. Please provide any comments you have on our landscape and visual plans.



Additional comments

- 11.** Please provide any further comments you may have on our proposals for Water Eaton that you feel we should be aware of.



Thank you for your comments